

# SEQUENCE LISTING

<110> NATIONAL INSTITUTE OF AGROBIOLOGICAL SCIENCES

<120> METHOD OF DISTINGUISHING EAR SHAPE AND RESISTANCE AGAINST  
GIBBERELLA ZEAE AND METHOD OF IMPROVING BARLEY PLANT USING THE  
SAME

<130> MOA-A0301P

<150> JP 2003-110682

<151> 2003-04-15

<160> 7

<170> PatentIn version 3.1

<210> 1

<211> 1091

<212> DNA

<213> Hordeum vulgare

<400> 1

```

gactgcgtag caattcgctg aggtacttgc tcgcatagtc atggtgctct ttgcaaactg   60
ccaagaagct ctcgtgcata tagtatgggt ccgcgatgca gatataattg atgctctccg  120
tcctgatgaa gtagttgaga tacagcgcat acatgcggat gaactggaaa tccaacttgg  180
tcatgtggaa catattgtag atgtagtcaa atcgcaggag gaattgattc gcgggccagg  240
tatcgaagta caccttccca cccggcacct gagccgcgta aagcgggtat cctgaatctt  300
tcacgaccag aaggcttttc tctctggcca gcacatcttc atggagtctc tttagatcat  360
tgttcagtag gtgatctatt gttttggcag gtaggatcgg cttgccggcg acatggaaat  420
gcttcttacc ttcgacgggt attctgtcta ccacccgggg ttccagaggg ggctagctgc  480
ttgaagcatc tatggcgctt ttaagggcct ttcttgcca gtctcttctt ttgcttcttg  540
gtgggtggcg gtagtgaacc caccatacct tcctaacca gcacccccag tgtcatcggg  600
ctagacagtg gacggcctcg gggggttgct ggctagaggt ggcattctga ggcgtctctt  660
gcgaggatgg cttgaagaga gactttttgc attccacctt aggacgttcc ggctccggaa  720
aatcaggcaa catcaagtca tcgtctccac actcatagcc tatttcttcg gcgtcatgag  780

```

ccatcaatcc atcataggcg gtattgaaat acttggtcgg gtcctcatca tcatectcca 840  
 tgtcattatc aacatttgct tcttcgacag tggggtgaca tgatctggca ctaatggagg 900  
 ctctccctcg cgttgtacgc taccatcatc tgccacgaca ggtgcaagta atttggtagg 960  
 tgggatggtg ttcatacctt cttgagaagg tggcgttggg gtgatactgg gtcctcagag 1020  
 acgaataaga gacttcggcc aaggcaagaa tcagttcttg catgcgccaa tcattctact 1080  
 caggactcat c 1091

<210> 2  
 <211> 253  
 <212> DNA  
 <213> Hordeum vulgare

<400> 2  
 gactgcgtac caattcgact agccatgggt gtgtatgtat ggcacatggg agtaaaacgt 60  
 tacaattctt tttgggaacc acacataatg agtatagcat ggaagatact aataacgttt 120  
 gtcgtaacgt tcacagtaaa gaacaccact caaaattata ttttcaatcc cgctttgaaa 180  
 acttgagctc taggacttgt gcaaataaat gcttacctct gcaaagggtc tatctattta 240  
 ctcaggactc atc 253

<210> 3  
 <211> 260  
 <212> DNA  
 <213> Hordeum vulgare

<400> 3  
 gactgcgtac caattctatt agtgacaatc atgctaaaaa tatgcaaaac cctaagcttg 60  
 gggatgctag ttttgctatg accactacat gattggggta ataatttttc ttattgtgac 120  
 atccccggat ttaggctaca gtaatcttgg taattgaact acagtaaaca tatgcaaagg 180  
 atgccacatc atcgtgattc tattattgat ctctgatag tcgaaaccga gtcgaaaatc 240  
 gaagttactc aggactcatc 260

<210> 4  
 <211> 158  
 <212> DNA  
 <213> *Hordeum vulgare*

<400> 4  
 gactgcgtac caattcctgt gtgggaaggg gaaaaccaa gccatcatca tcaccaacgc 60  
 ttcctccttc gtgggaggat cgatcttcat caacatattc accagcacca tctcatgtcc 120  
 aaccctagtt catctcgtgt atttactcag gactcatc 158

<210> 5  
 <211> 514  
 <212> DNA  
 <213> *Hordeum vulgare*

<400> 5  
 gactgcgtac caattcctgc tggagaaaga cgagggtgctg gaggtggttg tcggtgaaga 60  
 gcacgttcag cttcgtctag acggagtagg caccatcatc atcatgaacc accgtgtcga 120  
 agagatcctt cgagatgggtg tggagaagtgc tcacgccccaa gatgcgaccc tatcctcaat 180  
 ttggcacgaa ggccttgcga tggatagaag cgcattctgt cgtgtcgcaa gaatggatat 240  
 cggtacaagt acatgtactg aaaagaagag atatatatag aattggctta cactcgccac 300  
 aagctacatc agagtcacat cagtacatta cataatcatc aagagcaaga gcagggtccg 360  
 actacggacg aaaacaaacg ataaaaataa gaacagcgtc cgtccttgct atcccaggct 420  
 gccggcctgg aaccctcctt agatcgatga agaagaagaa gaagaagcaa ctccaaatga 480  
 acaatcaagg cgctcgcgtt actcaggact catc 514

<210> 6  
 <211> 20  
 <212> DNA  
 <213> Artificial

<220>  
 <223> an artificially synthesized primer sequence

<400> 6  
 atggttgtgt atgtatggca 20

<210> 7

<211> 20

<212> DNA

<213> Artificial

<220>

<223> an artificially synthesized primer sequence

<400> 7

cagaggtaag cattgatttg

20